PORCEIONA G R O U P

Stepcraft COLLECTION





PORCEIONA GERBORIA

Stepcraft COLLECTION

STEPCRAFT STYLE, SAFETY, & STRENGTH FOR EVERY STEP!

STEP CONFIDENTLY- WHETHER WALKING, RUNNING, PLAYING, OR COMMUTING WITH STEPCRAFT BY PORCELONA THE ULTIMATE SOLUTION FOR STYLISH AND SECURE ANTI-SLIP TILES.





Stepcraft COLLECTION

THE ULTIMATE HIGH RESISTANCE GRITS FOR PUNCHLESS SLIP RESISTANT SURFACE

Stepcraft COLLECTION

ABOUT THE COLLECTION

STEPCRAFT COLLECTION: PUNCHLESS BEYOND LIMITS

Porcelona proudly presents the Stepcraft Series, a standout part of its In&Out Collection that seamlessly blends safety, style, and innovation. Designed for both residential and commercial applications, as well as industrial spaces, this revolutionary tile series offers unparalleled functionality and aesthetics.

Leveraging High-Resistance Glazed technology from Italy, the Stepcraft Series delivers :

Exceptional durability to withstand daily wear and tear Slip-resistant surfaces for enhanced safety. A refined surface finish for a sophisticated look.

At the heart of this collection lies the unique "Punchless punch effect" a ground breaking design innovation that combines subtle aesthetics with dynamic functionality. The result? Secure and elegant spaces that inspire confidence and elevate design.

Whether it's courtyards, sidewalks, patios, or high-traffic areas, the Stepcraft Series offers anti-polishing, anti-abrasion, and tactile friction properties to minimize accidents and enhance the experience of movement.

Grip Beyond Limits a perfect synergy of safety and sophistication for modern living.

www.porcelona.com

Tile Surface Comparison REGULAR MATT VS. STEPCRAFT (PUNCHLESS) SERIES





Stepcraft

Feature

Gloss Level

Scratch Resistance

Slip Resistance

Stain Resistance

Water Absorption

Durability

Breaking Strength

Ease of Cleaning

Regular Matt

12-15 (softer, shinier touch)

MOH 4-6 (lower)

Not specified

Not specified

0.5%-3% (more moisture absorption)

Moderate (not for heavy foot traffic)

250-300 lbf

Needs frequent cleaning

CONCLUSION:

• Regular Matt: Ideal for indoor residential use with light foot traffic and a soft touch.

Feature

Gloss Level

Scratch Resistance

Slip Resistance

Stain Resistance

Water Absorption

Durability

Breaking Strength

Ease of Cleaning

Stepcraft (punchless) Series

4 (subtle matte finish)

MOH 6+ (high scratch resistance)

R10 (safe for wet and commercial areas)

Class 4+ (easy to clean, stain-resistant)

+0.05% (ultra low absorption, frost-resistant)

High (perfect for tough use & outdoors)

2350 lbf (extremely durable)

Easy clean, low dirt adhesion

CONCLUSION:

• Stepcraft (Punchless) Series: Built for long-lasting performance in outdoor, high-traffic, and commercial spaces, combining durability, anti-slip, and low maintenance.

WHEN YOU WALK ON AN **ORDINARY SURFACE**

The risks of slipping or falling are high on ordinary



TECHNICAL SPECIFICATION



















WHEN YOU WALK OUR **PUNCHLESS STEPCREAFT TILE!**

With Stepcraft tiles, every step is secure and confident. Our innovative R10 rated anti-skid surfaces ensure maximum traction, minimizing the chances of accidents and creating safe environment for everyone young or old, at work or play.





Anti-abrasion

Enduring resillence against wear makes the surfaces resistant to scratches and abrasions even in high-traffic areas.



Anti-slip

Prioritize safety in every step with a textured surface with a high coefficient of friction, reducing the risk of slips and falls



Anti-slip

Have exceptional standards of grip at areas with high footfall to prevent slips or falls and have a safe floor to walk upont



Application On Outdoor





Application On Indoor







COLORS



SIZE & SURFACES




4_{Size} 10_{Colors} 1_{Surface}






STEPCRAFT CREMA








600x1200mm RANDOM-12

Finish : Stepcraft (Punchless)





600x600mm RANDOM-12



Stepcraft Crema | 600x1200mm Finish : Stepcraft (Punchless)
























Stepcraft Crema | 600x1200mm Finish : Stepcraft (Punchless)



STEPCRAFT GREY








600x1200mm RANDOM-12


Finish : Stepcraft (Punchless)





600x600mm RANDOM-12





Stepcraft Grey | 600x1200mm Finish : Stepcraft (Punchless)


















STEPCRAFT PEARL









600x1200mm

BACK TO



RANDOM-12 600x600mm

Finish : Stepcraft (Punchless)



Stepcraft Pearl | 600x1200mm Finish : Stepcraft (Punchless)





















Stepcraft Pearl | 600x1200mm Finish : Stepcraft (Punchless)



STEPCRAFT SAND








600x1200mm RANDOM-12

Finish : Stepcraft (Punchless)





600x600mm RANDOM-12



Stepcraft Sand | 600x1200mm Finish : Stepcraft (Punchless)

























STEPCRAFT SILVER








600x1200mm Finish : Stepcraft (Punchless)

RANDOM-12

BACK TO



600x600mm Finish : Stepcraft (Punchless)

RANDOM-12





Stepcraft Silver | 600x1200mm Finish : Stepcraft (Punchless)

















Stepcraft Silver | 600x1200mm Finish : Stepcraft (Punchless)



STEPCRAFT ACTIVE WHITE








600x1200mm RANDOM-12

Finish : Stepcraft (Punchless)





600x600mm RANDOM-12



Stepcraft Active White | 600x1200mm Finish : Stepcraft (Punchless)


























STEPCRAFT CONCRETE GREY








600x1200mm RANDOM-12

Finish: Stepcraft (Punchless)





600x600mm RANDOM-12





Stepcraft Concrete Grey | 600x1200mm Finish : Stepcraft (Punchless)



















Stepcraft Concrete Grey | 600x1200mm



STEPCRAFT COOL GREY









600x1200mm RANDOM-12

Finish : Stepcraft (Punchless)





600x600mm RANDOM-12





Stepcraft Cool Grey | 600x1200mm Finish : Stepcraft (Punchless)



















Stepcraft Cool Grey | 600x1200mm Finish: Stepcraft (Punchless)



STEPCRAFT OFF WHITE








600x1200mm RANDOM-12

Finish : Stepcraft (Punchless)





600x600mm RANDOM-12



Stepcraft Off White | 600x1200mm Finish : Stepcraft (Punchless)























Stepcraft Off White | 600x1200mm Finish : Stepcraft (Punchless)



STEPCRAFT SURFACE SAND








600x1200mm RANDOM-12

Finish : Stepcraft (Punchless)





600x600mm RANDOM-12





Stepcraft Surface Sand | 600x1200mm Finish : Stepcraft (Punchless)

















Stepcraft Surface Sand | 600x1200mm Finish : Stepcraft (Punchless)

APPLICABLE STANDARD ISO 13006 ANNEX G

	TESTS	RESULTS	
	UNE-EN ISO 10545-2 DIMENSIONS AND SURFACE QUALITY	DIMENSIONS	COMPLIES WITH THE STANDARD
<u> </u>	UNE-EN ISO 10545-3 WATER ABSORPTION	AVERAGE VALUE (%)	≤ 0,5 %
↓ ↓ ↓ N/mm²	UNE-EN ISO 10545-4 MODULUS OF RUPTURE	BREAKING STRENGH (N) MODULUS OF RUPTURE (N/mm²)	1.600 - 2.400 N 35 - 45 N/mm²
(MANA)	UNE-EN ISO 10545-7 SURFACE ABRASION (PEI)	RESULT	PEI 4
tc°_	UNE-EN ISO 10545-9 THERMAL RESISTANCE	RESULT	RESISTS
À	UNE-EN ISO 10545-11 CRAZING RESISTANCE	RESULT	RESISTS
*	UNE-EN ISO 10545-12 FROST RESISTANCE	RESULT	RESISTS
	UNE-EN ISO 10545-13 CHEMICAL RESISTANCE	AMMONIUM CHLORIDE 100 g/l	А
		SODIUM HYPOCHLORITE 20 mg/l	А
		HYDROCHLORIC ACID 3% CITRIC ACID POTASSIUM HYDROXYDE 30 g/I	COMPLIES WITH THE STANDARD
*	UNE-EN ISO 10545-14 STAIN RESISTANCE	GREEN AGENT IN LIGHT OIL	5
		IODINE SOLUTION IN ALCOHOL	5
		OLIVE OIL	5

PACKAGING DETAILS

SR. NO	PRODUCT	NOMINAL SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA
1	PORCELAIN TILES	600x1200mm	9mm	2	1.44 Sq. Mtr.
2	PORCELAIN TILES	600x600mm	9mm	4	1.44 Sq. Mtr.
3	PORCELAIN TILES	800x800mm	9mm	3	1.92 Sq. Mtr.
4	PORCELAIN TILES	300x600mm	9mm	8	1.44 Sq. Mtr.



digital catalog





1203, RK WORLD TOWER, NR, 150 FEET RING RD SHEETAL PARK, SHASTRI NAGAR, DHARAM NAGAR SOCIETY, RAJKOT, GUJARAT 360006, INDIA

exports@porcelona.com | 75740 74020

www.porcelona.com

Follow Us On: f @ in

www rooxdeeign